MATERIAL SAFETY DATA SHEET

1. Product and Company Identification				
Product number	NSN-10			
Product name	Robbie's Non-Silicone Nu Shine			
Effective date	27-Mar-2009			
Company information	Robbie's 12708 County Road 1700 Lubbock, TX 79424 United States			
Company phone Emergency telephone US	General Assistance 806-794-4505 866-836-8855			
Emergency telephone outside US	703-527-3887			
Version #	03			
Supersedes date	13-Nov-2007			
	2. Hazards Identification			
Emergency overview	EXTREMELY FLAMMABLE. CONTENTS UNDER PRESSURE. Aerosol. Pressurized container may explode when exposed to heat or flame. Prolonged exposure may cause chronic effects.			
Potential health effects				
Routes of exposure	Inhalation.			
Eyes	Health injuries are not known or expected under normal use.			
Skin	Health injuries are not known or expected under normal use.			
Inhalation	Intentional misuse by concentrating and inhaling the product can be harmful or fatal.			
Ingestion	Exposure by ingestion of an aerosol is unlikely. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.			
Target organs	Central nervous system.			
	May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or dama			

Components	CAS #	Percent
Synthetic Isoparaffinic Hydrocarbon	64741-66-8	30 - 40
n-Butane	106-97-8	20 - 30
Propane	74-98-6	10 - 15
Non-hazardous and other components below reportable levels		

	4. First Aid Measures			
First aid procedures				
Eye contact	Flush eyes with water as a precaution. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops or persists.			
Skin contact	Immediately take off all contaminated clothing. Wash off with soap and water. Get medical attention if irritation develops or persists.			
Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.			
Ingestion	Have victim rinse mouth thoroughly with water. Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.			
	5. Fire Fighting Measures			
Flammable properties	Containers may explode when heated. Vapor or gas may spread to distant ignition sources and flash back.			

Product name: Non Silicone Instant Shine

Product #: 938 Robbie's Non-Silicone Nu Shine

In the even including apparatu prevent v monitor r 6. A Eliminate Stop leak leak is irr Small Sp surface th Pressuriz an open defective Level 3 A Contents contained	 helmet, self-contained helmet, self-contained hypor pressure build up. hozzles; if this is imposs hozzles; if this is impose hozzles; if this is impose<th>ion do not breathe fumes. V positive pressure or pressur of face mask. Containers sh For massive fire, use unma ible, withdraw from area an Measures smoking, flares, sparks, or ut risk. Move the cylinder to bent material (e.g. cloth, flee torage erce or burn, even after use arces of ignition. Do not use</th><th>nould be cooled with water to anned hose holders or d let fire burn. flames in immediate area). a safe and open area if the ece). Clean contaminated e. Do not handle or store near</th>	ion do not breathe fumes. V positive pressure or pressur of face mask. Containers sh For massive fire, use unma ible, withdraw from area an Measures smoking, flares, sparks, or ut risk. Move the cylinder to bent material (e.g. cloth, flee torage erce or burn, even after use arces of ignition. Do not use	nould be cooled with water to anned hose holders or d let fire burn. flames in immediate area). a safe and open area if the ece). Clean contaminated e. Do not handle or store near				
In the even including apparatu prevent v monitor r 6. A Eliminate Stop leak leak is irr Small Sp surface th Pressuriz an open defective Level 3 A Contents contained	ent of fire and/or explos helmet, self-contained is, protective clothing an vapor pressure build up. hozzles; if this is imposs accidental Release e all ignition sources (no k if you can do so withour reparable. bills: Wipe up with absort horoughly. 7. Handling and S zed container: Do not pic flame, heat or other sou b. Use only with adequat Aerosol.	ion do not breathe fumes. V positive pressure or pressur of face mask. Containers sh For massive fire, use unma ible, withdraw from area an Measures smoking, flares, sparks, or ut risk. Move the cylinder to bent material (e.g. cloth, flee torage erce or burn, even after use arces of ignition. Do not use	re demand breathing nould be cooled with water to anned hose holders or d let fire burn. flames in immediate area). a safe and open area if the ece). Clean contaminated				
s including apparatu prevent v monitor r 6. A Eliminate Stop leak leak is irr Small Sp surface th Pressuriz an open defective Level 3 A Contents contained	 helmet, self-contained protective clothing an vapor pressure build up. hozzles; if this is imposs hozzles; if this is imposs hozzles; if this is imposs ccidental Release all ignition sources (not kif you can do so without reparable. bills: Wipe up with absorb horoughly. 7. Handling and S zed container: Do not pin flame, heat or other sout en other sout en other sout en other sout en other sout. 	positive pressure or pressure of face mask. Containers sh For massive fire, use unma ible, withdraw from area an Measures smoking, flares, sparks, or ut risk. Move the cylinder to bent material (e.g. cloth, flee torage erce or burn, even after use urces of ignition. Do not use	re demand breathing nould be cooled with water to anned hose holders or d let fire burn. flames in immediate area). a safe and open area if the ece). Clean contaminated				
s including apparatu prevent v monitor r 6. A Eliminate Stop leak leak is irr Small Sp surface th Pressuriz an open defective Level 3 A Contents contained	 helmet, self-contained protective clothing an vapor pressure build up. hozzles; if this is imposs hozzles; if this is imposs hozzles; if this is imposs ccidental Release all ignition sources (not kif you can do so without reparable. bills: Wipe up with absorb horoughly. 7. Handling and S zed container: Do not pin flame, heat or other sout en other sout en other sout en other sout en other sout. 	positive pressure or pressure of face mask. Containers sh For massive fire, use unma ible, withdraw from area an Measures smoking, flares, sparks, or ut risk. Move the cylinder to bent material (e.g. cloth, flee torage erce or burn, even after use urces of ignition. Do not use	re demand breathing nould be cooled with water to anned hose holders or d let fire burn. flames in immediate area). a safe and open area if the ece). Clean contaminated				
Eliminate Stop leak leak is irr Small Sp surface th Pressuriz an open defective Level 3 A Contents contained	e all ignition sources (no k if you can do so withour reparable. bills: Wipe up with absort horoughly. 7. Handling and S zed container: Do not pir flame, heat or other sou b. Use only with adequat Aerosol.	smoking, flares, sparks, or ut risk. Move the cylinder to bent material (e.g. cloth, flee torage erce or burn, even after use urces of ignition. Do not use	a safe and open area if the ece). Clean contaminated				
Stop leak leak is irr Small Sp surface th Pressuriz an open defective Level 3 A Contents contained	k if you can do so withou reparable. bills: Wipe up with absort horoughly. 7. Handling and S zed container: Do not pi- flame, heat or other sou b. Use only with adequat Aerosol.	ut risk. Move the cylinder to bent material (e.g. cloth, flee torage erce or burn, even after use urces of ignition. Do not use	a safe and open area if the ece). Clean contaminated				
Pressuriz an open defective Level 3 A Contents containe	horoughly. 7. Handling and S zed container: Do not pic flame, heat or other sou b. Use only with adequat Aerosol.	torage erce or burn, even after use irces of ignition. Do not use	e. Do not handle or store near				
Pressuriz an open defective Level 3 A Contents containe	zed container: Do not pi flame, heat or other sou e. Use only with adequat Aerosol.	erce or burn, even after use irces of ignition. Do not use					
an open defective Level 3 A Contents containe	flame, heat or other sou . Use only with adequat Aerosol.	rces of ignition. Do not use					
Contents container		le ventilation. Avoid proiong	Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Do not use if spray button is missing or defective. Use only with adequate ventilation. Avoid prolonged exposure.				
suringfit.	Level 3 Aerosol. Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Avoid exposure to long periods of sunlight. Keep in an area equipped with sprinklers. Keep out of the reach of children.						
8. Exposi	ure Controls / Pers	sonal Protection					
CAS #	TWA		Ceiling				
106-97-8	·····						
74-98-6	74-98-6 1000 ppm Not established Not established						
CAS #	TWA	STEL	Ceiling				
74-98-6	1000 ppm	Not established	Not established				
t							
Not normally needed.							
Not normally needed.							
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.							
9. Ph	ysical & Chemical	I Properties					
Compres	ssed liquefied gas.						
80.6 °F (27.2 °C) estimated							
Clear.							
37.5404	kJ/g estimated						
Yes							
	-156 °F (-104.4 °C) estimated						
	Aerosol.						
-156 °F (
	CAS # 106-97-8 74-98-6 CAS # 74-98-6 Not norm Not norm Not norm When we appropria 9. Ph Compres 80.6 °F (Clear. 37.5404 Yes	Contents under pressure. Do no containers can increase under th sunlight. Keep in an area equipp 8. Exposure Controls / Pers 8. Exposure Controls / Pers 06-97-8 1000 ppm 74-98-6 1000 ppm 74-98-6 1000 ppm 74-98-6 1000 ppm 74-98-6 1000 ppm Not normally needed. Not normally needed. Not normally needed. When workers are facing concer 9. Physical & Chemica Sold °F (27.2 °C) estimated Clear. 37.5404 kJ/g estimated Yes -156 °F (-104.4 °C) estimated	Contents under pressure. Do not puncture, incinerate or crucontainers can increase under the influence of heat. Avoid e sunlight. Keep in an area equipped with sprinklers. Keep out 8. Exposure Controls / Personal Protection CAS # TWA STEL 106-97-8 1000 ppm Not established 74-98-6 1000 ppm Not established CAS # TWA STEL 74-98-6 1000 ppm Not established 74-98-6 1000 ppm Not established Not normally needed. Not normally needed. Not normally needed. When workers are facing concentrations above the exposur appropriate certified respirators. 9. Physical & Chemical Properties Compressed liquefied gas. 80.6 °F (27.2 °C) estimated 37.5404 kJ/g estimated Yes -156 °F (-104.4 °C) estimated Yes				

Product name: Non Silicone Instant Shine

pН

Physical state

Specific gravity

Pressure Solubility

Product #: 938 Robbie's Non-Silicone Nu Shine

Not applicable

33 - 43 psig @ 70F

0.6751 estimated

Liquid.

Partially

11. Toxicological Information Acute effects Acute LD50: 5556 mg/kg estimated, Rat, Dermal Acute LC50: 14 mg/4h estimated, Rat, Inhalation Sensitization Not expected to be hazardous by OSHA criteria. Reproductive effects Not expected to be hazardous by OSHA criteria. Feratogenicity Not expected to be hazardous by OSHA criteria. Ecotoxicity IC50 8333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental concerns. Ecotoxicity IC50 8333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental concerns. Disposal instructions D001: Waste Flammable material with a flash point <140 F Contents under pressure. Do not allow this material to drain into sewers/water supplit discarded, this product is considered a RCRA lipitable waste, D001. Dispose in accordance with all applicable regulations. Department of Transportation (DOT) Requirements Basic shipping name Proper shipping name Consumer commodity Hazard class ORM-D Subsidiary hazard class None MDOE Basic shipping name Proper shipping name AEROSOLS Packaging exceptions 156, 306 Packaging exceptions LTD QTY Labels requirements: <th>Conditions to avoid Hazardous decomposition products Acute effects Sensitization Reproductive effects Teratogenicity Ecotoxicity Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class</th> <th>Heat, flames and sparks. May include oxides of nitrogen. 11. Toxicological Information Acute LD50: 5556 mg/kg estimated, Rat, Dermal Acute LC50: 14 mg/l/4h estimated, Rat, Inhalation Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by OSHA criteria.</th>	Conditions to avoid Hazardous decomposition products Acute effects Sensitization Reproductive effects Teratogenicity Ecotoxicity Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	Heat, flames and sparks. May include oxides of nitrogen. 11. Toxicological Information Acute LD50: 5556 mg/kg estimated, Rat, Dermal Acute LC50: 14 mg/l/4h estimated, Rat, Inhalation Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by OSHA criteria.
Hazardous decomposition products May include oxides of nitrogen. Il. Toxicological Information Acute effects Acute L50: 6566 mg/kg estimated. Rat, Darmal Acute L50: 6566 mg/kg estimated. Rat, Inhalation Not expected to be hazardous by OSHA criteria. Reproductive effects Not expected to be hazardous by OSHA criteria. Teratogenicity Not expected to be hazardous by OSHA criteria. Ecotoxicity ICSD 8333 mg/L estimated, Ague, 72.00 Hours. Components of this product have been identified as having potential environmental concerns. Ecotoxicity ICSD 8333 mg/L estimated, Ague, 72.00 Hours. Components of this product have been identified as having potential environmental concerns. Basic statistical for the second statistical to drain into severo/water suppli- dicatide, this product is considered af RCRA gnittable waste, D001. Dispose in accordance with all applicable regulations. Department of Transportation (DOT) Requirements Basic shipping name Proper shipping name Proper shipping name Packaging bulk None MDG Basic shipping requirements: Proper shipping name Proper shipping name Acrosols, flammable Additional information: Packaging exceptions LTD CTY Labels require LTD CTY Additional information: Proper shipping name Proper shipping name Prop	Hazardous decomposition products Acute effects Sensitization Reproductive effects Teratogenicity Ecotoxicity Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	 May include oxides of nitrogen. 11. Toxicological Information Acute LD50: 5556 mg/kg estimated, Rat, Dermal Acute LC50: 14 mg/l/4h estimated, Rat, Inhalation Not expected to be hazardous by OSHA criteria. I2. Ecological Information IC50 83333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental
11. Toxicological Information Acute effects Acute LD50: 5556 mg/kg estimated, Rat, Dermal Acute LC50: 14 mg/4h estimated, Rat, Inhalation Sensitization Not expected to be hazardous by OSHA criteria. Reproductive effects Not expected to be hazardous by OSHA criteria. Teratogenicity Not expected to be hazardous by OSHA criteria. Ecotoxicity IC50 8333 mg/L estimated, Aigae, 72.00 Hours, Components of this product have been identified as having potential environmental concerns. Subspoal Considerations Waste codes D001: Waste Flammable material with a flash point <140 F	Acute effects Sensitization Reproductive effects Teratogenicity Ecotoxicity Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	11. Toxicological Information Acute LD50: 5556 mg/kg estimated, Rat, Dermal Acute LC50: 14 mg/l/4h estimated, Rat, Inhalation Not expected to be hazardous by OSHA criteria. IC50 83333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental
Acute effects Acute LD50: 5556 mg/kg estimated, Rat, Dermal Acute LC50: 14 mg/k4 estimated, Rat, Inhalation Sensitization Not expected to be hazardous by OSHA criteria. Reproductive effects Not expected to be hazardous by OSHA criteria. Teratogenicity Not expected to be hazardous by OSHA criteria. Ecotoxicity IC50 8333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental concerns. Ecotoxicity IC50 8333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental concerns. Maste codes D001: Waste Flammable material with a flash point <140 F	Sensitization Reproductive effects Teratogenicity Ecotoxicity Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	Acute LD50: 5556 mg/kg estimated, Rat, Dermal Acute LC50: 14 mg/l/4h estimated, Rat, Inhalation Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by OSHA criteria. 12. Ecological Information IC50 83333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental
Acute LC50: 14 mgl/4h estimated, Rat, Inhilation Reproductive effects Not expected to be hazardous by OSHA criteria. Teratogenicity Not expected to be hazardous by OSHA criteria. Teratogenicity Not expected to be hazardous by OSHA criteria. T2. Ecological Information Ecotoxicity Components of this product have been identified as having potential environmental concerns. Components of this product have been identified as having potential environmental concerns. T3. Disposal Considerations Waste codes D001: Waste Flammable material with a flash point <140 F Contents under pressure. Do not allow this material to drain into sewers/water suppli- discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations. T4. Transport Information Department of Transportation (DOT) Requirements Basic shipping requirements: Proper shipping name Consumer commodity Hazard class ORM-D Subsidiary hazard Class ORM-D Subsidiary hazard Class D156, 306 Packaging non bulk 156, 306 Packaging non bulk None MDG Basic shipping requirements: Proper shipping name AEROSOLS Hazard class 2.1 UN number Packaging exceptions LTD QTY Labels required None MATA Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number Packaging exceptions LTD QTY	Sensitization Reproductive effects Teratogenicity Ecotoxicity Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	Acute LC50: 14 mg/l/4h estimated, Rat, Inhalation Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by OSHA criteria. 12. Ecological Information IC50 83333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental
Reproductive effects Not expected to be hazardous by OSHA criteria. Teratogenicity Not expected to be hazardous by OSHA criteria. Image: Components of this product have been identified as having potential environmental concerns. ISO 8333 mg/L, estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental concerns. Waste codes D001: Waste Flammable material with a flash point <140 F	Reproductive effects Teratogenicity Ecotoxicity Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	Not expected to be hazardous by OSHA criteria. Not expected to be hazardous by OSHA criteria. 12. Ecological Information IC50 83333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental
Teratogenicity Not expected to be hazardous by OSHA criteria. Image: term of the second se	Teratogenicity Ecotoxicity Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	Not expected to be hazardous by OSHA criteria. 12. Ecological Information IC50 83333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental
12. Ecological Information Ecotoxicity IC50 8333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental concerns. Image: Considerations Waste codes D011: Waste Flammable material with a flash point <140 F Concerns under pressure. Don allow this material to drain into severs/water supplit discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations. Department of Transportation (DOT) Requirements Basic shipping requirements: Proper shipping name Consumer commodity Hazard class ORM-D Subsidiary hazard class None MDG Basic shipping requirements: Proper shipping name AEROSOLS Proper shipping name AEROSOLS Context and the second sec	Ecotoxicity Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	12. Ecological Information IC50 83333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental
Ecotoxicity IC50 8333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental concerns. 13. Disposal Considerations Waste codes D001: Waste Flammable material with a flash point <140 F	Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	IC50 83333 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental
Components of this product have been identified as having potential environmental concerns. 13. Disposal Considerations Waste codes D001: Waste Flammable material with a flash point <140 F	Waste codes Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	Components of this product have been identified as having potential environmental
Waste codes D001: Waste Flammable material with a flash point <140 F	Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	
Disposal instructions Contents under pressure. Do not allow this material to drain into sewers/water supplidiscarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations. 14. Transport Information Department of Transportation (DOT) Requirements Basic shipping requirements: Proper shipping name Consumer commodity Hazard class ORM-D Subsidiary hazard class None Additional information: Packaging exceptions Packaging non bulk 156, 306 Packaging exceptions 150 MDG Basic shipping requirements: Proper shipping name AEROSOLS Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950	Disposal instructions Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	13. Disposal Considerations
discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations. 14. Transport Information Department of Transportation (DOT) Requirements Basic shipping requirements: Basic shipping requirements: Proper shipping name Consumer commodity Hazard class ORM-D Subsidiary hazard class None Additional information: Packaging exceptions Packaging non bulk 156, 306 Packaging non bulk 156, 306 Packaging requirements: Proper shipping requirements: Proper shipping requirements: Proper shipping name AEROSOLS Additional information: Packaging exceptions LTD QTY Labels required None IATA Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Proper shipping name Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions	Department of Transportation (DOT Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	D001: Waste Flammable material with a flash point <140 F
Department of Transportation (DOT) Requirements Basic shipping requirements: Proper shipping name Consumer commodity Hazard class ORM-D Subsidiary hazard class None Additional information: Packaging non bulk 156, 306 Packaging non bulk 156, 306 Packaging bulk None IMDG Basic shipping name AEROSOLS Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY Labels required None IATA Basic shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY Labels required None	Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	
Basic shipping requirements: Consumer commodity Proper shipping name Consumer commodity Hazard class ORM-D Subsidiary hazard class None Additional information: Packaging exceptions Packaging non bulk 156, 306 Packaging non bulk 156, 306 Packaging non bulk 156, 306 Packaging bulk None IMDG Basic shipping requirements: Proper shipping name AEROSOLS Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY Labels required None Vone IATA Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Piston Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Piston Packaging exceptions LTD QTY	Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class	14. Transport Information
Basic shipping requirements: Consumer commodity Proper shipping name Consumer commodity Hazard class ORM-D Subsidiary hazard class None Additional information: Packaging exceptions Packaging non bulk 156, 306 Packaging non bulk 156, 306 Packaging non bulk 156, 306 Packaging non bulk None IMDG Basic shipping requirements: Proper shipping name AEROSOLS Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY Labels required None Vone IATA Rerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Proper shipping name Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions Hazard class 2.1 UN number 1950 Additional information: </td <td>Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class</td> <td>) Requirements</td>	Basic shipping requirements: Proper shipping name Hazard class Subsidiary hazard class) Requirements
Hazard class ORM-D Subsidiary hazard class None Additional information: Packaging exceptions Packaging exceptions 156, 306 Packaging non bulk 156, 306 Packaging bulk None IMDG Basic shipping requirements: Proper shipping name AEROSOLS Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY Labels required None Xone IATA Basic shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY Labels required None 2	Hazard class Subsidiary hazard class	
Subsidiary hazard class None Additional information:	Subsidiary hazard class	Consumer commodity
Additional information: Packaging exceptions 156, 306 Packaging non bulk 156, 306 Packaging bulk None IMDU Record and a stress of the stres		ORM-D
Packaging exceptions 156, 306 Packaging non bulk 156, 306 Packaging bulk None IMDG Basic shipping requirements: Proper shipping name AEROSOLS Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY Labels required None None IATA Basic shipping name Hazard class 2.1 UN number 1950 Additional information: Proper shipping name Aerosols, flammable Hazard class Hazard class 2.1 UN number 1950 Additional information: Piston Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Piston Packaging exceptions LTD QTY	Additional information:	None
Packaging non bulk 156, 306 Packaging bulk None IMDG Basic shipping requirements: Proper shipping name AEROSOLS Hazard class 2.1 UN number 1950 Additional information: ETD QTY Labels required None VATA Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Proper shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Ps50 Additional information: Ps50 Additional information: EtD QTY		
Packaging bulk None IMDG Basic shipping requirements: AEROSOLS Proper shipping name AEROSOLS Importance Hazard class 2.1 Importance Importance UN number 1950 Importance Importance Importance Additional information: Emportance Importance Impor		
IMDG Basic shipping requirements: Proper shipping name AEROSOLS Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY Labels required None IATA Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY		
Basic shipping requirements: Proper shipping name AEROSOLS Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions Packaging exceptions LTD QTY Labels required None MATA Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Proper shipping name Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Piso0 Additional information: ETD QTY Packaging exceptions LTD QTY	Packaging bulk	None
Proper shipping name AEROSOLS Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions Packaging exceptions LTD QTY Labels required None IATA Basic shipping name Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Proper shipping name Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions Packaging exceptions LTD QTY	IMDG	
Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY Labels required None IATA Basic shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY	Basic shipping requirements:	
UN number 1950 Additional information: Fackaging exceptions Packaging exceptions LTD QTY Labels required None IATA Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: FD QTY Packaging exceptions LTD QTY	Proper shipping name	AEROSOLS
Additional information: Fackaging exceptions LTD QTY Labels required None IATA Basic shipping requirements: Proper shipping name Hazard class 2.1 UN number 1950 Additional information: TD QTY Packaging exceptions LTD QTY	Hazard class	2.1
Packaging exceptions Labels requiredLTD QTY NoneIATAResident constraints Proper shipping name Hazard class UN number Additional information: Packaging exceptionsLTD QTYPackaging exceptionsLTD QTY	UN number	1950
Labels required None IATA Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Extra Class Packaging exceptions LTD QTY		
IATA Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: Packaging exceptions LTD QTY		LTD QTY
Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: LTD QTY	Labels required	None 2
Basic shipping requirements: Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: LTD QTY	ΙΔΤΔ	
Proper shipping name Aerosols, flammable Hazard class 2.1 UN number 1950 Additional information: LTD QTY		
Hazard class2.1UN number1950Additional information:Packaging exceptionsLTD QTY		Aerosols, flammable
UN number1950Additional information:Packaging exceptionsLTD QTY		
Additional information: Packaging exceptions LTD QTY		
Packaging exceptions LTD QTY		
		LTD QTY
Labels required 2.1	Labels required	2.1
	Product name: Non Silicone Instant Shine	

Product name: Non Silicone Instant Shine Product #: 938 Robbie's Non-Silicone Nu Shine

	15. Regul	atory Information	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communicatic Standard, 29 CFR 1910.1200. CERCLA/SARA Hazardous Substances - Not applicable.		
Occupational Safety and Health	dministration (OSHA)		
29 CFR 1910.1200 hazardou chemical	Yes		
CERCLA (Superfund) reportable	quantity		
None			
Superfund Amendments and Re	uthorization Act of 1986	6 (SARA)	
Hazard categories	Immediate Hazard - Delayed Hazard - Y Fire Hazard - Yes Pressure Hazard - Y Reactivity Hazard -	es Yes	
Section 302 extremely hazardous substance	No		
Section 311 hazardous cher	ical Yes		
Inventory status			
Country(s) or region	Inventory name		On inventory (yes/no)*
China	Inventory of Existing Che	Yes	
Europe	European Inventory of New and Existing Chemicals (EINECS)		
Europe	European List of Notified Chemical Substances (ELINCS)		
Japan	Inventory of Existing and New Chemical Substances (ENCS) N		
Korea	Existing Chemicals List (ECL) Ye		
United States & Puerto Rico	Toxic Substances Contro	ol Act (TSCA) Inventory	Yes
A "Yes" indicates that all component	nts of this product comply wi	ith the inventory requirements administered by t	he governing country(s)
State regulations			
U.S Pennsylvania - RTK (Righ	to Know) List		
n-Butane Propane	106-97-8 Present 74-98-6 Present		
	16. Oth	ner Information	
HMIS [®] ratings	Health: 1* Flammability: 4 Physical hazard: 0		
Disclaimer	knowledge, informat designed only as a disposal and release information relates of	vided in this Safety Data Sheet is correct to tion and belief at the date of its publication guidance for safe handling, use, processin e and is not to be considered a warranty of only to the specific material designated and mbination with any other materials or in any	. The information given is g, storage, transportation, r quality specification. The d may not be valid for such
MSDS sections updated	DS sections updated Hazards Identification: Emergency overview Handling and Storage: Storage Physical & Chemical Properties: Fire Fighting Measures Transport Information: Product Shipping Name/Packing Group		