

=====
==
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

=====
==
PRODUCT NUMBER: 318
IDENTITY: HITEMP/CBC/NORCAL/DAKOTA OB 6A Revision Date:
01/18/2007

--
Section I

--
Manufacturer's Name: DAKOTA PRODUCTS, INC.*** Telephone Numbers:
Address: P.O. BOX 1550 Emergency:
800/255-3924
SIOUX FALLS Information:
State: SD Zip Code: 57108 605/368-2166

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 2 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

=====
Name Cas No. OSHA PEL ACGIH TLV OTHER LIM
%

ACETONE 67-64-1 1000 PPM 750 PPM N/A

PROPANE/N-BUTANE 68476-86-8 1000 PPM 600 PPM N/A

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

=====
=====

Boiling Point:	165	Specific Gravity (water=1)	
0.96			
Vapor Pressure(mm Hg)	44	Melting Point:	N/A
Vapor Density(AIR=1)	1	Evaporation Rate:	>1
Solubility in Water:	100%	(Butyl Acetate=1)	
Appearance and Odor:	CLEAR SPRAY, NEW CAR ODOR		

Section IV: FIRE AND EXPLOSION HAZARD DATA

=====
=====

Flash Point(Method Used):<200F TCC Flammable Limits: LEL:N/A UEL: N/A
A
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: NONE

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING. CONTAINS FLAMMABLE

PROPELLANT.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 318

=====
===

Stability: Unstable: Conditions to avoid:
 Stable: X TEMPERATURES ABOVE 120 DEG F.
Incompatibility (Materials to Avoid): STRONG OXIDIZERS, ALKALIES, ACIDS

Hazardous Decomposition or Byproducts: NONE KNOWN

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE

Section VI: HEALTH HAZARD DATA

=====
===

Routes of Entry: Inhalation: YES Skin: YES
Ingestion: YES
Health Hazards (Acute and Chronic):
 INHALATION: MAY CAUSE DIZZINESS IF OVEREXPOSED. EYES: MAY CAUSE SLIGHT
 IRRITATION/BURNING. SKIN: MAY CAUSE LOCALIZED DEFATTING OF SKIN.
INGESTION:
 MAY CAUSE NAUSEA.
Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. SEE
 PHYSICIAN IF DIFFICULTY IN BREATHING PERSISTS. EYES: FLUSH WITH WATER FOR
 15 MINUTES. CONSULT PHYSICIAN IF IRRITATION PERSISTS. SKIN: WASH WITH
SOAP
 AND WATER. INGESTION: DRINK SEVERAL GLASSES OF WATER. CONSULT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

=====
=====
Steps to be Taken in Case Material is Released or Spilled: MOP OR WIPE UP
SPILL. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method: WRAP CONTAINER AND PLACE IN TRASH COLLECTION. DO
NOT PUNCTURE OR INCINERATE CONTAINER.

Precautions to be Taken in Handling and Storing: STORE IN A COOL DRY
AREA. KEEP AWAY FROM HEAT, FLAME OR SPARKS.

Other Precautions: EXPOSURE TO TEMPERATURES >120 F MAY CAUSE BURSTING.

Section VIII: CONTROL MEASURES

=====
=====
Respiratory Protection: N/A

Ventilation: Local Exhaust: ADEQUATE

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves: N/A

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHEN USING CHEMICAL
PRODUCTS

Other Protective Clothing or Equipment:

N/A

Work/Hygienic Practices:

WASH HANDS AFTER USE