

Safety Data Sheet

Issue Date: 22-Mar-2016

Version 1

Revision Date: 27-Mar-2016

1. IDENTIFICATION

Product Identifier

Product Name Robbie's Glass Cleaner - ready to use

Other means of identification

SDS # RE-007

Recommended use of the chemical and restrictions on use

Recommended Use Glass cleaner.

Details of the supplier of the safety data sheet

Supplier Address Robbie Enterprises, Inc. 12708 Milwaukee Ave. Lubbock, TX 79424

Emergency Telephone Number

Company Phone Number (806) 794-4505

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International) 1-800-

535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear blue liquid Physical state Liquid Odor Cranberry,

Characteristic alcohol odor

Classification

The classification and labeling information in this Safety Data Sheet should be viewed as provisional, as the product's ingredients and percentages are kept as a trade secret / proprietary.

Serious eye damage/eye irritation	Category 2
Flammable Liquids	Category 4

Hazards Not Otherwise Classified (HNOC) Causes

mild skin irritation

Signal Word Warning

Hazard statements

Causes serious eye irritation

Combustible liquid



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Keep away from heat/sparks/open flames/hot surfaces. — No smoking Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethyl Alcohol	64-17-5	1-10
Isopropyl Alcohol	67-63-0	1-10
Ethylene Glycol Monobutyl Ether	111-76-2	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Glass -007 Robbie's 27-Mar-2016 RF Cleaner ready to use Revision Date: **Skin Contact** Remove contaminated clothing. Wash off immediately with plenty of water. If skin irritation occurs: Get medical advice/attention. Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist. Ingestion Do not induce vomiting. Rinse mouth. Immediately call a poison center or doctor/physician.

Most important symptoms and effects

Symptoms Causes eye and skin irritation. Irritating to mouth, throat and stomach. May cause

drowsiness or dizziness.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Water. BC/ABC extinguisher may be used in area where material is stored. Synthetic foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical Combustible

liquid.

Explosion Data

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Environmental precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See **Environmental precautions**

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Use non-sparking hand tools and explosion-proof electrical equipment. Collect and reuse

> if possible. Contain and collect with an inert absorbent and place into an appropriate container for disposal. Clean up in accordance with all applicable regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Keep containers closed when not

in use. Surfaces subject to spills of this product can become slippery. Take precautionary measures against static discharges. Ground/bond container and receiving equipment. Use non-sparking hand tools and explosion-proof electrical equipment. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep out of the reach of children.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17- 5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
Isopropyl Alcohol 67-63- 0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Protective eyewear recommended. Refer to 29 CFR 1910.133 for eye and face

protection regulations.

Skin and Body Protection Chemical resistant gloves recommended. Refer to 29 CFR 1910.138 for appropriate skin

and body protection.

Respiratory Protection No protection is ordinarily required under normal conditions of use and with adequate

ventilation. Use NIOSH approved air-purifying respirator if the potential to exceed

established exposure limits exists.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Glass RE -007 Robbie's Revision 27-Mar-2016 Cleaner ready use Date: Physical state Liquid **Appearance** Clear blue liquid Odor Cranberry, Characteristic alcohol odor Color Clear blue **Odor Threshold** Not determined Note: These physical properties are Remarks • Method **Property** typical values for this product and not specifications рΗ 7.5-7.8 **Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** Not determined 48.8-82.22 °C / 120-180 °F Flash Point **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined Flammability Limits in Air **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined **Relative Density** 0.888 **Water Solubility** Miscible in water Solubility in other solvents Not determined **Partition Coefficient** Not determined Not determined **Auto-ignition Temperature Decomposition Temperature** Not determined Not determined **Kinematic Viscosity Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Other Information

Not reactive under normal conditions.

Glass -007 Robbie's Revision 27-Mar-2016 RE Cleaner ready use Date:

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions None

under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children. Keep away from heat, sparks and open flame. Incompatible

Materials

Strong oxidizing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Causes serious eye irritation. **Eye Contact**

Skin Contact Causes mild skin irritation.

Inhalation Avoid breathing vapors or mists.

Ingestion May cause discomfort if swallowed.

Component Information

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
Ethyl Alcohol 64-17-	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
5			
Isopropyl Alcohol 67-	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
63-0			
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
111-70-2			

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64- 17-5	А3	Group 1	Known	Х
Isopropyl Alcohol 67-63-0		Group 3		Х
Ethylene Glycol Monobutyl Ether 111-76-2	А3	Group 3		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 -

Animal Carcinogen IARC (International Agency for Research on Cancer)

RE -007 Robbie's Revision Date: 27-Mar-2016 Glass Cleaner ready use

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program) Known -

Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor) X -

Present

STOT - single exposure

May cause drowsiness or dizziness.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6,663.00 mg/kg

ATEmix (dermal) 16,497.00 mg/kg ATEmix (inhalation-dust/mist) 31.50 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethyl Alcohol 64-17- 5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50
Isopropyl Alcohol 67-63- 0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	1400000: 96 h Lepomis macrochirus µg/L LC50 9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static	13299: 48 h Daphnia magna mg/L EC50
Ethylene Glycol Monobutyl Ether 111-76-2		2950: 96 h Lepomis macrochirus mg/L LC50 1490: 96 h Lepomis macrochirus mg/L LC50 static	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50

Persistence/Degradability Not

determined.

Bioaccumulation Not

determined.

Mobility

Chemical Name	Partition Coefficient
Ethyl Alcohol 64-	-0.32
17-5	
Isopropyl Alcohol 67-	0.05
63-0	
Ethylene Glycol Monobutyl Ether 111-76-2	0.81

Other Adverse Effects Not

determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local

laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local

laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethyl Alcohol 64-17-	Toxic Ignitable
5	
Isopropyl Alcohol 67-63-	Toxic Ignitable
0	

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

<u>DOT</u>

Not regulated (If shipped in NON BULK packaging by ground transport)

IATA Not regulated

IMDG

This material may meet the definition of a marine pollutant

Marine Pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL		ENCS	IECSC	KECL	PICCS	AICS
			EINECS/E LINCS					
Ethyl Alcohol	Х	Χ	Х	Present	Х	Present	Χ	Χ
Isopropyl Alcohol	Х	Х	Х	Present	Х	Present	Х	Х
Ethylene Glycol Monobutyl Ether	Х	Х	Х	Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material as supplied, does not contain any substances regulated as hezerdous substances under the Comprehensive

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	1-10	1.0
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	1-5	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol 64-17-	X	X	X
5			
Isopropyl Alcohol 67-	X	X	X
63-0			
Ethylene Glycol Monobutyl Ether 111-76-2	Х	X	Х

16. OTHER INFORMATION

NFPA Health Hazards Flammability Instability 0 Special Hazards
2 2 Not determined

 HMIS
 Health Hazards
 Flammability
 Physical hazards Not
 Personal determined

 Not determined
 Not determined
 Protection

Not determined Not determined determined Protection Not determined

Issue Date:22-Mar-2016Revision Date:27-Mar-2016Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet